



Euro Safety Equipments Pvt. Ltd.

ROGER GROUP OF COMPANIES is one of India's leading Export companies engaged in diverse portfolio of businesses that have achieved rapid growth in 40 years.

The group was founded in 1979 as **Roger Exports** by Mr. Kulbir Singh & Mrs. Dalbir Kaur for the manufacturing of fashion footwear in the leather category.

Since then the group has diversified into the manufacturing of Industrial safety footwear in the year 2005 in the name of the **EURO SAFETY FOOTWEAR (INDIA) PRIVATE LIMITED** based in Agra in India. In a span of 15 years, it is now one of Asia's largest safety footwear manufacturing organizations with innovative marketing & promotion ideas of Mr. Varun Budhiraja, the second generation of founders.

Realizing the potential of the protective & fashion garments market and greater need for protection & fashion garments further diversified the Company into manufacturing Technical Garments Like – Trousers, Shorts, Coverall, Bib, Jackets, Lowers, T.Shirt etc. in the name of **EURO SAFETY EQUIPMENTS PRIVATE LIMITED** and its plant situated at Pathredi, Bhiwadi.

EURO SAFETY EQUIPMENTS PRIVATE LIMITED is the subsidiary of ES FOOTWEAR.

ROGER GROUP including **EURO SAFETY GROUP** vision is to become the most renowned brand for Protective and Fashion Garments across the globe after getting success in footwear industries. Make in India and serve customers all over the world with latest technologies and working towards innovating new products. Each and every member of the Roger & Euro family plays an important role in this pursuit. We commit to enable as to consistently and measurably enhance the quality of our products and services to our customer.

Group mission is to continue its commitment of providing safety environment at workplace wherein workforce engaged in hazardous environment by providing premium quality & comfortable PPWs for its client. We believes that it is team who make organizations and help in its growth, for this reason, it is necessary to keep safe the working environment.

OUR FORMULA OF SUCCESS

Strategic Relationships with Industry Leaders — Working closely with top-tier companies around the world, we are keeply aware of the latest market trend and always endeavor to introduce new products before others do.

Integration and Innovation — Vertical integration of the production process allows us to better control the quality and cost of products, and we are constantly upgrading the sales packages to maintain our competitive edge in the market.

Technical Expertise — Our service platform is built on extensive experience and knowledge in the non-woven industry. We are able to provide products of better quality or meet customer's specific requirements through our in-depth technical analysis.

Qualification and Certification— To further demonstrate the outstanding quality of its products, Euro Safety Equipments always seeks to obtain all requisite qualifications and certificates. These ongoing efforts are solid proof of our commitment to sustainable growth with our customers.

Honesty and Keeping Promises— Euro Safety Equipments are migratory birds which travel every year between the north and the south like keeping a promise. Euro Safety Equipments holds exactly the same spirit and never falls in delivering its promises to its customers.

One-Stop Shop Approach— With complete integration of the production process, Euro Safety Equipments supplies a wide range of products for medical, industrial and consumer use.

Visit our website – www.eurosafetyequipments. and you will find what you need in high quality and very competitive prices!



Seam Construction:



Added strength at the seams and more protection against particles

Stitched Seam



More Strength at the seams and higher protection aginst particles & liquid

Bound Stitched Seam



Cost-effective seams with idealprotection against particles & liquids

Ultrasonic Seam



Ultimate protection against particles & liquids

Stitched with Tape Seam

SFS65-MEDICAL

Nonwoven at both sides provides cloth-like feeling to human skin. The Microporous film provides breathable but liquid & blood resistance properties. Conforms to EN13795 – High performance (Critical Area) and is recommended to use for surgical gowns and drapes.

Features


- Conforms to EN13795 High performance (Critical Area)
- · High MVTR (over 4000gsm.24hrs)
- · ETO sterilization available
- ASTM F1670 passed for blood resistance.

Applications

Critical area (high performance) for surgical gowns and drapes.

Fabric Construction





AAMI Level 2 Gown


• Features

ESE Level 2 gown successfully meets AAMI PB70: 2003 class 2 requirement tested by a laboratory.

• AAMI Liquid Barrier Classification

AAMI guidelines are a widely accepted system of classification for protective apparel and drapes based on liquid barrier performance including chest, sleeve seam, and ties at random areas.

ANSI/AAMI PB 70 Barrier Performance	Test Method	Requirement
Level 1	Impact Penetration AATCC 42	<=4.5g
Lovel 2	Impact Penetration AATCC 42	<=1.0g
Level 2	Hydrostatic Pressure AATCC 127	>=20cm
Level 3	Impact Penetration AATCC 42	<=1.0g
Levei 3	Hydrostatic Pressure AATCC 127	>=50cm
Level 4	Blood Penetration ASTM F1670	Pass
	Viral Penetration ASTM F1671	Pass



Test Results

AAMI PB 70	Test Method	Requirement
LEVEL 2	Impact Penetration AATCC 42	<=1.0g
	Hydrostatic Pressure AATCC 127	>=20cm

ESE Level 2 Gown result						
Chest Sleeve seam						
0.08 g	0.08 g	0.06 g				
52.0 cm	37.7 cm	53.9 cm				

Material	SMMS material
Seam	Ultrasonic seam
Colour	Yellow
Package	10pcs/bag, 50pcs/carton

SCRUB SUIT

This suit provides excellent softness and protection,

- · Shirts: one or three pockets are available.
- •Pants: the wide-leg drawstring waist is specially designed for a loose and relaxed fit.

Material	PPSB, SMS
Fabric Weight	40gsm, 53gsm
Colour	Navy Blue
Case Pack	50 sets/bag, 100 sets/case







MODEL	DELTA COVERALL (MOV141–1195)
TYPE	5B/6B
CERTIFYING BODY	CENTROCOT
MATERIAL	PP + PE LAMINATE
GSM	53 GSM
COLOUR	WHITE
INNER PACKING	1PC / POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL


The Delta coverall comes with a self-adhesive zipper-flap for optimal protection. This coverall also has anti-static properties. The elasticated waistband provides dynamic-fit to the user. The convenient closures fitted with elasticated bands on the hood, arms & legs keep the wearer protected at all times.

PRIMARY AREA OF USE

Food Processing and Handling, Hospitals, General Cleaning, Meat Packaging, Clinics, Spray & Manual Painting, Industrial and Manufacturing, Laboratories, Light Chemical.

SPECIAL NOTES

While the PP + PE Laminate provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.



SIZE GUIDELINES

Units/cm	Size	S	М	L	XL	2XL	3XL
А	Chest	56	60	65	69	73	78
В	Sleeve Outseam	84	85.5	89.5	91	93	96
С	Body Length	88	95	97	101	105	110
D	Inseam	78	78	79	80	80	84
Е	Zip	70	75	75	75	80	80
F	Full Length	165	172	175	180	184	193
All measurements are in CM							

EN ISO 13982- 1: 2004+A1 2010





Contamination

EN 1149-5:2018

EN 14126:2003+AC:2004





Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	OMEGA
	COVERALL
	(MOV141-1196)
TYPE	4B/5B/6B
CERTIFYING BODY	CENTROCOT
MATERIAL	PP + PE LAMINATE
GSM	63 GSM
COLOUR	WHITE
INNER PACKING	1PC / POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Omega coverall comes with a self-adhesive zipper-flap for optimal protection. This coverall also has anti-static properties. The elasticated waistband provides dynamic-fit to the user. The convenient closures fitted with elasticated bands on the hood, arms & legs keep the wearer protected at all times.

PRIMARY AREA OF USE

Food Processing and Handling, Hospitals, General Cleaning, Meat Packaging, Clinics, Spray & Manual Painting, Industrial and Manufacturing, Laboratories, Light Chemical.

SPECIAL NOTES

While the PP + PE Laminate provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.



SIZE GUIDELINES

Units/cm	Size	S	М	L	XL	2XL	3XL
А	Chest	56	60	65	69	73	78
В	Sleeve Outseam	84	85.5	89.5	91	93	96
С	Body Length	88	95	97	101	105	110
D	Inseam	78	78	79	80	80	84
Е	Zip	70	75	75	75	80	80
F	Full Length	165	172	175	180	184	193
All measurements are in CM							















EN ISO 13688:2013

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	SMS COVERALL(MOV143- 1374)
MATERIAL	SMS
TYPE	5B, 6B
GSM	50 GSM
COLOUR	WHITE
INNER PACKING	1PC / POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S, M, L, X, XL, XXL, 3XL


MOV143-1374 SMS Coverall Made with 50 GSM, Attached 3 Pcs. Hood, Elasticated Wrists, Waist & Ankles, Thumb loop, Zipper with Single Pullar Closure with Double Layer Storm Flap and with Self Adhesive in Flap.

PRIMARY AREA OF USE

Food Processing and Handling, Hospitals, General Cleaning Meat Packaging, Clinics, Spray & Manual Painting, Industrial and Manufacturing, Laboratories, Light Chemi cal.

SPECIAL NOTES

While the SMS provides splash resistance. It is not Impermeable. Although reasonable care has been taken in the preparation of this document, no extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s)



SIZE GUIDELINES

Units/cm	Size	S	М	L	XL	2XL	3XL
Α	Chest	56	60	65	69	73	78
В	Sleeve Outseam	84	85.5	89.5	91	93	96
С	Body Length	88	95	97	101	105	110
D	Inseam	78	78	79	80	80	84
Е	Zip	70	75	75	75	80	80
F	Full Length	165	172	175	180	184	193
All measurements in CM							



EN 13034:2005+A1:2009















Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)









MODEL	SMS COVERALL(MOV143-1373)
MATERIAL	SMS
TYPE	5B, 6B
GSM	50 GSM
COLOUR	BLUE
INNER PACKING	1PC / POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S, M, L, X, XL, XXL, 3XL


MOV143-1373 SMS Coverall Made with 50 GSM, Attached 3 Pcs. Hood, Elasticated Wrists, Waist & Ankles, Thumb loop, Zipper with Single Pullar Closure with Double Layer Storm Flap and with Self Adhesive in Flap.

PRIMARY AREA OF USE

Food Processing and Handling, Hospitals, General Cleaning Meat Packaging, Clinics, Spray & Manual Painting, Industrial and Manufacturing, Laboratories, Light Chemical.

SPECIAL NOTES

While the SMS provides splash resistance. It is not Impermeable. Although reasonable care has been taken in the preparation of this document, no extended and no liability is assumed. The information is solel_y provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s)



SIZE GUIDELINES

Units/cm	Size	S	М	L	XL	2XL	3XL
А	Chest	56	60	65	69	73	78
В	Sleeve Outseam	84	85.5	89.5	91	93	96
С	Body Length	88	95	97	101	105	110
D	Inseam	78	78	79	80	80	84
E Zip 70 75 75 75 80 80							
F	Full Length	165	172	175	180	184	193
All measurements in CM							

EN ISO 13982- 1: 2004+A1 2010



EN 13034:2005+A1:2009













Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





TYPE	MOV143-1170
MATERIAL	PPSB
GSM	40 GSM
COLOUR	WHITE
INNER PACKING	1 PC / POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S, M, L, X, XL, XXL, 3XL

MOV143–1170 Casper Coverall Made with PPSB 40 GSM, Attached 3 Pcs. Hood, Elasticated Wrists, Waist & Ankles with Single Pullar Closure and with Self Adhesive in Flap.

PRIMARY AREA OF USE

Food Processing and Handling, Hospitals, General Cleaning Meat Packaging, Clinics, Spray & Manual Painting, Industrial and Manufacturing, Laboratories, Light Chemical.

SPECIAL NOTES

While the PPSB provides splash resistance. It is not Impermeable. Although reasonable care has been taken in the preparation of this document, no extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s)

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.



SIZE GUIDELINES

Units/cm	Size	S	М	L	XL	2XL	3XL	
А	Chest	56	60	65	69	73	78	
В	Sleeve Outseam	84	85.5	89.5	91	93	96	
С	Body Length	88	95	97	101	105	110	
D	Inseam	78	78	79	80	80	84	
E Zip 70 75 75 80							80	
F Full Length 165 172 175 180 184 193								
All measurements in CM								

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





TYPE	MOV143-1171
MATERIAL	PPSB
GSM	40 GSM
COLOUR	NAVY
INNER PACKING	1 PC / POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S, M, L, X, XL, XXL, 3XL

MOV143-1171 Casper Coverall Made with PPSB 40 GSM, Attached 3 Pcs. Hood, Elasticated Wrists, Waist & Ankles, Zipper with Single Pullar Closure and with Self Adhesive in Flap.

PRIMARY AREA OF USE


Food Processing and Handling, Hospitals, General Cleaning Meat Packaging, Clinics, Spray & Manual Painting, Industrial and Manufacturing, Laboratories, Light Chemical.

SPECIAL NOTES

While the PPSB provides splash resistance. It is not Impermeable. Although reasonable care has been taken in the preparation of this document, no extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up -to end-users to make their own determination as to the suitability of the product for their own intended purpose(s)

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.



SIZE GUIDELINES

Units/cm	Size	S	М	L	XL	2XL	3XL
А	Chest	56	60	65	69	73	78
В	Sleeve Outseam	84	85.5	89.5	91	93	96
С	Body Length	88	95	97	101	105	110
D	Inseam	78	78	79	80	80	84
E Zip 70 75 75 80						80	
F Full Length 165 172 175 180 184 19							
All measurements in CM							

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





TYPE	MOV143-1172
MATERIAL	PPSB
GSM	40 GSM
COLOUR	ORANGE
INNER PACKING	1 PC / POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S, M, L, X, XL, XXL, 3XL

MOV143-1172 Casper Coverall Made with PPSB 40 GSM, Attached 3 Pcs. Hood, Elasticated Wrists, Waist & Ankles, Zipper with Single Pullar Closure and with Self Adhesive in Flap.

PRIMARY AREA OF USE

Food Processing and Handling, Hospitals, General Cleaning Meat Packaging, Clinics, Spray & Manual Painting, Industrial and Manufacturing, Laboratories, Light Chemical.

SPECIAL NOTES

While the PPSB provides splash resistance. It is not Impermeable. Although reasonable care has been taken in the preparation of this document, no extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up -to end-users to make their own determination as to the suitability of the product for their own intended purpose(s)

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.



SIZE GUIDELINES

Units/cm	Size	S	М	L	XL	2XL	3XL
А	Chest	56	60	65	69	73	78
В	Sleeve Outseam	84	85.5	89.5	91	93	96
С	Body Length	88	95	97	101	105	110
D	Inseam	78	78	79	80	80	84
E	Zip	70	75	75	75	80	80
F Full Length 165 172 175 180 184 1							193
All measurements in CM							

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	MDC143-1142 BLUE MDC143- 1182 WHITE
TYPE	LAB COAT WITH ELASTICATED WRISTS
MATERIAL	PPSB
GSM	40 GSM
COLOUR	M. BLUE / WHITE
INNER PACKING	1 PC / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Disposable Lab Coat are made with PPSB 40 GSM, collared neck, elasticated wrists with 4 pcs. Velcro at the front, without pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories, Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the PPSB provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL	Tolerance
А	Cost Visitor Length	104	106	108	111.5	115	120	125	1
В	Chest Width	64	66	68	71	74	82	90	1
С	Sleeve Width	27	27	27	27	27	27	35	1
D	Sleeve Length	58	58	58	58	58	58	58	1
E	Relaxed Wrist Opening	17	17	17	17	17	17	17	1
F	Shoulder Length	18	20.5	23	25	27	28	29	1
All measurements in CM									

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	MLC143-1540
TYPE	DOCTOR LAB COAT WITH KNITTED CUFF
MATERIAL	PP + PE LAMINATE
GSM	43 GSM
COLOUR	M. BLUE / WHITE
INNER PACKING	1 PC / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Doctor Lab Coat are made with 43 GSM PP+PE Laminate with collared neck, knitted cuff, with 3 pcs. Velcro at the front, with a pocket at wearer left side . They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories, Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the PP + PE Laminate provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end–users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL	Tolerance
А	Cost Visitor Length	83	85	87	89	91	93	95	1
В	Chest Width	64	66	68	71	74	82	90	1
С	Sleeve Width	27	27	27	27	27	27	35	1
D	Sleeve Length	62	62	62	62	62	62	62	1
E	Relaxed Wrist Opening	12	12	12	12	12	12	12	1
F	Shoulder Length	18	20.5	23	25	27	28	29	1
All measurements in CM									

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	MLC143-1244 BLUE MLC143- 1245 WHITE
ТҮРЕ	GOWN WITH ELASTICATED WRISTS
MATERIAL	PPSB
GSM	25, 40 GSM
COLOUR	M.BLUE / WHITE
INNER PACKING	1PC / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Disposable Gown are made with PPSB 40 GSM, round neck, with two ties at back opening, elasticated wrists, without a pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories , Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the PPSB provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL
Α	Neck Circumfernce	16	17	18	19	20	21	22
В	Sholder Seam To Seam	49	51	53	55	56	57	58
С	Chest	58.5	61	63.5	66	71	76	81
D	Bottom	58.5	61	63.5	66	71	76	81
E	FRT Length HPS	119	119	121.5	121.5	124	129	134
F	Armhole	27	28	29	30	31	32	33
G	Sleeve Length	61.5	63	64.5	66	67.5	69	71.5
Н	Sleeve Opning Extend	16	16	16	16	16	16	16
- 1	Sleeve Opning Relaxe	8.5	8.5	8.5	8.5	8.5	8.5	8.5
J	Belt Length	182	182	182	182	182	182	182
K	Belt Width	4	4	4	4	4	4	4
L	Belt Attaich Arm To Down	22	22	22	22	22	22	22
	All me	easurer	nents in	СМ				

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	MLC143-1344 BLUE MLC143- 1345 WHITE
TYPE	GOWN WITH KNITTED CUFFS
MATERIAL	PPSB
GSM	25, 40 GSM
COLOUR	M.BLUE / WHITE
INNER PACKING	1 PCS / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Disposable Gown are made with PPSB 40 GSM, round neck, with two tie at back opening, Knitted cuffs, without pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories , Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the PPSB provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Size	М	L	XL	2XL	3XL	4XL	5XL
Neck Width	24	25	26	27	28	29	30
Sholder Seam To Seam	60.5	63	65.5	67.5	72.5	77.5	82.5
1/2 Chest	63.5	66	68.5	71	76	81	86
1/2 Bottom	63.5	66	68.5	71	76	81	86
FRT Length HPS	120	120	122.5	122.5	125	129	135
Armhole Straight	27.5	28.5	29.5	30.5	31.5	32.5	33.5
Sleeve Length With Cuff	56.5	58	59.5	61	62.5	64	65.5
1/2 Sleeve Opning	14	14	14	14	14	14	14
Sleeve Cuff Rib L/W	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5
Neck Patti L/W	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Belt L/W	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5
Belt Attaich Arm To Down	22	22	22	22	22	22	22
	All meası	urements	in CM				
	Neck Width Sholder Seam To Seam 1/2 Chest 1/2 Bottom FRT Length HPS Armhole Straight Sleeve Length With Cuff 1/2 Sleeve Opning Sleeve Cuff Rib L/W Neck Patti L/W Belt L/W Belt Attaich Arm To Down	Neck Width 24 Sholder Seam To Seam 60.5 1/2 Chest 63.5 1/2 Bottom 63.5 FRT Length HPS 120 Armhole Straight 27.5 Sleeve Length With Cuff 56.5 1/2 Sleeve Opning 14 Sleeve Cuff Rib L/W 6.5/4.5 Neck Patti L/W 2.5 Belt L/W 58/3.5 Belt Attaich Arm To Down 22	Neck Width 24 25 Sholder Seam To Seam 60.5 63 1/2 Chest 63.5 66 1/2 Bottom 63.5 66 FRT Length HPS 120 120 Armhole Straight 27.5 28.5 Sleeve Length With Cuff 56.5 58 1/2 Sleeve Opning 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 Neck Patti L/W 2.5 2.5 Belt L/W 58/3.5 58/3.5 Belt Attaich Arm To Down 22 22	Neck Width 24 25 26 Sholder Seam To Seam 60.5 63 65.5 1/2 Chest 63.5 66 68.5 1/2 Bottom 63.5 66 68.5 FRT Length HPS 120 120 122.5 Armhole Straight 27.5 28.5 29.5 Sleeve Length With Cuff 56.5 58 59.5 1/2 Sleeve Opning 14 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 6.5/4.5 Neck Patti L/W 2.5 2.5 2.5 Belt L/W 58/3.5 58/3.5 58/3.5	Neck Width 24 25 26 27 Sholder Seam To Seam 60.5 63 65.5 67.5 1/2 Chest 63.5 66 68.5 71 1/2 Bottom 63.5 66 68.5 71 FRT Length HPS 120 120 122.5 122.5 Armhole Straight 27.5 28.5 29.5 30.5 Sleeve Length With Cuff 56.5 58 59.5 61 1/2 Sleeve Opning 14 14 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 Neck Patti L/W 2.5 2.5 2.5 2.5 Belt L/W 58/3.5 58/3.5 58/3.5 58/3.5 Belt Attaich Arm To Down 22 22 22 22	Neck Width 24 25 26 27 28 Sholder Seam To Seam 60.5 63 65.5 67.5 72.5 1/2 Chest 63.5 66 68.5 71 76 1/2 Bottom 63.5 66 68.5 71 76 FRT Length HPS 120 120 122.5 122.5 125 Armhole Straight 27.5 28.5 29.5 30.5 31.5 Sleeve Length With Cuff 56.5 58 59.5 61 62.5 1/2 Sleeve Opning 14 14 14 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 Belt L/W 58/3.5 58/3.5 58/3.5 58/3.5 58/3.5 58/3.5 Belt Attaich Arm To Down 22 22 22 22 22	Neck Width 24 25 26 27 28 29 Sholder Seam To Seam 60.5 63 65.5 67.5 72.5 77.5 1/2 Chest 63.5 66 68.5 71 76 81 1/2 Bottom 63.5 66 68.5 71 76 81 FRT Length HPS 120 120 122.5 122.5 125 129 Armhole Straight 27.5 28.5 29.5 30.5 31.5 32.5 Sleeve Length With Cuff 56.5 58 59.5 61 62.5 64 1/2 Sleeve Opning 14 12 14 14 1

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	MGO143-1538
ТҮРЕ	SURGICAL GOWN WITH ELASTICATED WRISTS
MATERIAL	PP+PE Bi LAMINATE
GSM	43GSM
COLOUR	M.BLUE / WHITE
INNER PACKING	1 PCS / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Surgical Gown are made 43 gsm PP+PE Bi Laminate, round neck, with two tie at back opening, elasticated wrists, without pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories, Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the PP + PE Bi Laminate provides splash resistance, pleasenote it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end–users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL
Α	Neck Width	24	25	26	27	28	29	30
В	Sholder Seam To Seam	60.5	63	65.5	67.5	72.5	77.5	82.5
С	1/2 Chest	63.5	66	68.5	71	76	81	86
D	1/2 Bottom	63.5	66	68.5	71	76	81	86
E	FRT Length HPS	120	120	122.5	122.5	125	129	135
F	Armhole Straight	27.5	28.5	29.5	30.5	31.5	32.5	33.5
G	Sleeve Length With Cuff	56.5	58	59.5	61	62.5	64	65.5
Н	1/2 Sleeve Opning	14	14	14	14	14	14	14
ı	Sleeve Cuff Rib L/W	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5
J	Neck Patti L/W	2.5	2.5	2.5	2.5	2.5	2.5	2.5
K	Belt L/W	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5
L	Belt Attach Arm To Down	18	18	18	18	18	18	18
		All measi	urements	in CM				

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)









MODEL	MGO143-1539
TYPE	WRAPAROUND GOWN WITH
	KNITTED CUFFS
MATERIAL	PP + PE Bi LAMINATE
GSM	43GSM
COLOUR	M.BLUE / WHITE
INNER PACKING	1 PCS / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Wraparound Gown are made with 43 GSM PP + PE Bi Laminate, round neck, at back opening with side tie knot closure ,knitted cuffs without pocket. they are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories , Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the PP + PE Bi Laminate provides splash resistance, pleasenote it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end–users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL
А	Neck Width	24	25	26	27	28	29	30
В	Sholder Seam To Seam	60.5	63	65.5	67.5	72.5	77.5	82.5
С	1/2 Chest	63.5	66	68.5	71	76	81	86
D	1/2 Bottom	63.5	66	68.5	71	76	81	86
E	FRT Length HPS	145	145	147.5	147.5	150	150	152.5
F	Armhole Straight	27.5	28.5	29.5	30.5	31.5	32.5	33.5
G	Sleeve Length With Cuff	56.5	58	59.5	61	62.5	64	65.5
Н	1/2 Sleeve Opning	14	14	14	14	14	14	14
Ţ	Sleeve Cuff Rib L/W	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5
J	Neck Patti L/W	2.5	2.5	2.5	2.5	2.5	2.5	2.5
K	Belt L/W	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5
L	Belt Attaich Arm To Down	22	22	22	22	22	22	22
		All meası	ırements	in CM				

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	MGO143-1458
ТҮРЕ	SURGICAL GOWN WITH KNITTED BINDING & CUFFS
MATERIAL	SMS
GSM	50 GSM
COLOUR	BLUE
INNER PACKING	1 PCS / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Gown is made with SMS fabric 50 GSM with knitted binding & cuffs , round neck, with velcro opening at back top & tie & centre back knitted cuffs, without pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories , Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the SMS fabric provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL
A	Neck Width	24	25	26	27	28	29	30
В	Sholder Seam To Seam	60.5	63	65.5	67.5	72.5	77.5	82.5
С	1/2 Chest	63.5	66	68.5	71	76	81	86
D	1/2 Bottom	63.5	66	68.5	71	76	81	86
E	FRT Length HPS	120	120	122.5	122.5	125	129	135
F	Armhole Straight	27.5	28.5	29.5	30.5	31.5	32.5	33.5
G	Sleeve Length With Cuff	56.5	58	59.5	61	62.5	64	65.5
Н	1/2 Sleeve Opning	14	14	14	14	14	14	14
I	Sleeve Cuff Rib L/W	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5
J	Neck Patti L/W	2.5	2.5	2.5	2.5	2.5	2.5	2.5
K	Belt L/W	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5
L	Belt Attaich Arm To Down	22	22	22	22	22	22	22
		All meası	ırements	in CM				

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)







MODEL	MGO143-1461
ТҮРЕ	SMS GOWN WITH SELF FABRIC BINDING ELASTICATED WRIST
MATERIAL	SMS
GSM	50 GSM
COLOUR	BLUE
INNER PACKING	1 PCS / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Gown is made with SMS 50 GSM, self fabric binding elasticated wrist, round neck, with two tie at back opening, without pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories, Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the SMS fabric provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL
A	Neck Width	24	25	26	27	28	29	30
В	Sholder Seam To Seam	60.5	63	65.5	67.5	72.5	77.5	82.5
С	1/2 Chest	63.5	66	68.5	71	76	81	86
D	1/2 Bottom	63.5	66	68.5	71	76	81	86
E	FRT Length HPS	120	120	122.5	122.5	125	129	135
F	Armhole Straight	27.5	28.5	29.5	30.5	31.5	32.5	33.5
G	Sleeve Length	56.5	58	59.5	61	62.5	64	65.5
Н	1/2 Sleeve Opning	14	14	14	14	14	14	14
1	Sleeve Cuff Rib L/W	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5
J	Neck Patti L/W	2.5	2.5	2.5	2.5	2.5	2.5	2.5
K	Belt L/W	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5
L	Belt Attaich Arm To Down	22	22	22	22	22	22	22
		All meası	irements	in CM				

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





	60		
A			B

MGO143-1459
SURGICAL GOWN WITH KNITTED BINDING & CUFFS
PP+PE+LAMINATE
55 GSM
WHITE
1 PCS / PLAIN POLYBAG
50 PCS IN CARTON
S – 3XL

The PP+PE+Laminate Gown is made with Microporus 55 GSM, with knitted binding & cuffs , round neck, with velcro opening at back top & tie & centre back Knitted cuffs, without pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories, Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the PP+PE+Laminate provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL
А	Neck Width	24	25	26	27	28	29	30
В	Sholder Seam To Seam	60.5	63	65.5	67.5	72.5	77.5	82.5
С	1/2 Chest	63.5	66	68.5	71	76	81	86
D	1/2 Bottom	63.5	66	68.5	71	76	81	86
E	FRT Length HPS	120	120	122.5	122.5	125	129	135
F	Armhole Straight	27.5	28.5	29.5	30.5	31.5	32.5	33.5
G	Sleeve Length With Cuff	56.5	58	59.5	61	62.5	64	65.5
Н	1/2 Sleeve Opning	14	14	14	14	14	14	14
Ţ	Sleeve Cuff Rib L/W	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5
J	Neck Patti L/W	2.5	2.5	2.5	2.5	2.5	2.5	2.5
K	Belt L/W	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5
L	Belt Attaich Arm To Down	22	22	22	22	22	22	22
All measurements in CM								

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)







MODEL	MGO143-1460
ТҮРЕ	SURGICAL GOWN WITH SELF FABRIC BINDING ELASTICATED WRIST
MATERIAL	PP+PE+LAMINATE
GSM	55 GSM
COLOUR	WHITE
INNER PACKING	1 PCS / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S – 3XL

The Gown is made with PP+PE+Laminate 55 GSM, self fabric binding elasticated wrist, round neck, with two tie at back opening, without pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories , Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the PP+PE+Laminate provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Units/cm	Size	М	L	XL	2XL	3XL	4XL	5XL
А	Neck Width	24	25	26	27	28	29	30
В	Sholder Seam To Seam	60.5	63	65.5	67.5	72.5	77.5	82.5
С	1/2 Chest	63.5	66	68.5	71	76	81	86
D	1/2 Bottom	63.5	66	68.5	71	76	81	86
E	FRT Length HPS	120	120	122.5	122.5	125	129	135
F	Armhole Straight	27.5	28.5	29.5	30.5	31.5	32.5	33.5
G	Sleeve Length	56.5	58	59.5	61	62.5	64	65.5
Н	1/2 Sleeve Opning	14	14	14	14	14	14	14
I	Sleeve Cuff Rib L/W	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5
J	Neck Patti L/W	2.5	2.5	2.5	2.5	2.5	2.5	2.5
K	Belt L/W	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5
L	Belt Attaich Arm To Down	22	22	22	22	22	22	22
All measurements in CM								

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)

MGO147-1597 - GOWN











MODEL	MG0147-1597
TYPE	CATEGORY -III LEVEL 4
MATERIAL	BREATHABLE VIRAL BARRIER LEVEL - 4
GSM	54 GSM
COLOUR	M.BLUE / WHITE
INNER PACKING	1 PCS / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	S - 3XL

KEY FEATURES

The Disposable Gown are made with GSM, round neck, with two tie at back opening, Knitted cuffs, without pocket. They are lightweight and comfortable.

PRIMARY AREA OF USE

Laboratories, Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

While the provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES

Size	М	L	XL	2XL	3XL	4XL	5XL
Neck Width	24	25	26	27	28	29	30
Sholder Seam To Seam	60.5	63	65.5	67.5	72.5	77.5	82.5
1/2 Chest	63.5	66	68.5	71	76	81	86
1/2 Bottom	63.5	66	68.5	71	76	81	86
FRT Length HPS	120	120	122.5	122.5	125	129	135
Armhole Straight	27.5	28.5	29.5	30.5	31.5	32.5	33.5
Sleeve Length With Cuff	56.5	58	59.5	61	62.5	64	65.5
1/2 Sleeve Opning	14	14	14	14	14	14	14
Sleeve Cuff Rib L/W	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5	6.5/4.5
Neck Patti L/W	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Belt L/W	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5	58/3.5
Belt Attaich Arm To Down	22	22	22	22	22	22	22
	Neck Width Sholder Seam To Seam 1/2 Chest 1/2 Bottom FRT Length HPS Armhole Straight Sleeve Length With Cuff 1/2 Sleeve Opning Sleeve Cuff Rib L/W Neck Patti L/W Belt L/W	Neck Width 24 Sholder Seam To Seam 60.5 1/2 Chest 63.5 1/2 Bottom 63.5 FRT Length HPS 120 Armhole Straight 27.5 Sleeve Length With Cuff 56.5 1/2 Sleeve Opning 14 Sleeve Cuff Rib L/W 6.5/4.5 Neck Patti L/W 2.5 Belt L/W 58/3.5	Neck Width 24 25 Sholder Seam To Seam 60.5 63 1/2 Chest 63.5 66 1/2 Bottom 63.5 66 FRT Length HPS 120 120 Armhole Straight 27.5 28.5 Sleeve Length With Cuff 56.5 58 1/2 Sleeve Opning 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 Neck Patti L/W 2.5 2.5 Belt L/W 58/3.5 58/3.5	Neck Width 24 25 26 Sholder Seam To Seam 60.5 63 65.5 1/2 Chest 63.5 66 68.5 1/2 Bottom 63.5 66 68.5 FRT Length HPS 120 120 122.5 Armhole Straight 27.5 28.5 29.5 Sleeve Length With Cuff 56.5 58 59.5 1/2 Sleeve Opning 14 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 6.5/4.5 Neck Patti L/W 2.5 2.5 2.5 Belt L/W 58/3.5 58/3.5 58/3.5	Neck Width 24 25 26 27 Sholder Seam To Seam 60.5 63 65.5 67.5 1/2 Chest 63.5 66 68.5 71 1/2 Bottom 63.5 66 68.5 71 FRT Length HPS 120 120 122.5 122.5 Armhole Straight 27.5 28.5 29.5 30.5 Sleeve Length With Cuff 56.5 58 59.5 61 1/2 Sleeve Opning 14 14 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 Neck Patti L/W 2.5 2.5 2.5 2.5 Belt L/W 58/3.5 58/3.5 58/3.5 58/3.5	Neck Width 24 25 26 27 28 Sholder Seam To Seam 60.5 63 65.5 67.5 72.5 1/2 Chest 63.5 66 68.5 71 76 1/2 Bottom 63.5 66 68.5 71 76 FRT Length HPS 120 120 122.5 122.5 125 Armhole Straight 27.5 28.5 29.5 30.5 31.5 Sleeve Length With Cuff 56.5 58 59.5 61 62.5 1/2 Sleeve Opning 14 14 14 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 Neck Patti L/W 2.5 2.5 2.5 2.5 2.5 Belt L/W 58/3.5 58/3.5 58/3.5 58/3.5 58/3.5	Neck Width 24 25 26 27 28 29 Sholder Seam To Seam 60.5 63 65.5 67.5 72.5 77.5 1/2 Chest 63.5 66 68.5 71 76 81 1/2 Bottom 63.5 66 68.5 71 76 81 FRT Length HPS 120 120 122.5 122.5 125 129 Armhole Straight 27.5 28.5 29.5 30.5 31.5 32.5 Sleeve Length With Cuff 56.5 58 59.5 61 62.5 64 1/2 Sleeve Opning 14 14 14 14 14 14 Sleeve Cuff Rib L/W 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 6.5/4.5 Belt L/W 58/3.5 58/3.5 58/3.5 58/3.5 58/3.5 58/3.5 58/3.5







ORANGE

MODEL	BC-14-24-DE-RED
TYPE	PLEATED BOUFFANT CAPS
MATERIAL	PPSB
GSM	10, 14 GSM
COLOUR	WHITE, M. BLUE, YELLOW, BLACK, PINK, ORANGE & GREEN
INNER PACKING	100 PCS/BAG
OUTER PACKING	10 BAGS/CARTON
SIZE	21 "& 24" INCH

KEY FEATURES

The Pleated Bouffant Caps are made PPSB 14 GSM double soft elastic headband for maximum protection and hair retention, light weight and breathable, ideal for department colour coding.

PRIMARY AREA OF USE

Food Processing, Fisheries/Seafood, Medical Facilities, Food Service, Bakery, Laboratory, Clinics, Meat Packing, Beauty/Aesthetics & Assembly Line Work.

STORAGE & HANDLING

Store in original packaging in a cool, dry and well-ventilated area, away from dust, direct sunlight, moisture and excessive heat above 100°F(37°C).

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s).

SIZE GUIDELINES

GREEN


Length fully expanded	21" (530 <u>+</u> 10 mm)	24" (610 <u>+</u> 10 mm)		
Length at rest	8" (205 <u>+</u> 10 mm)	9½" (240 <u>+</u> 10 mm)		
Width of pleat	21 mm			

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





EN14683:2019 + AC:2019/TYPE IR



MODEL	ESE3302-BFE98
TYPE	3 PLY PLEATED SURGICAL MASK
MATERIAL	PPSB + SSMMS
GSM	25 + 25 + 25 GSM
COLOUR	M. BLUE, WHITE
INNER PACKING	50 MASKS/BOX
OUTER PACKING	20 BOXES/CARTON

4		
AGE .		-
		9
-	1.85	



Length : (mm)	<u>+</u> 2 mm	175 mm
Width : (mm)	<u>+</u> 2 mm	95 mm
Ear Loop		Round Lycra
Nose Bridge :	Length	105 <u>+</u> 5 mm

KEY FEATURES

3 Ply Pleated Surgical Mask, 98% BFE (Bacterial Filtration Efficiency), Ear Loops straps are ultra sonic welded (no staples) nose bridge (Type I R)

PRIMARY AREA OF USE

Beauty/Aesthetics, Food Handling, Laboratory, Clean Room Handling, Hospitals, Medical, Dental Clinics, Home Renovations, Waste Management

STORAGE & HANDLING

Store in original packaging in a cool, dry and well-ventilated area, away from dust, direct sunlight, moisture and excessive heat above 100°F(37°C).

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





EN14683:2019 + AC:2019/TYPE IIR





KEY FEATURES

3 Ply Pleated Surgical Mask, 99% BFE (Bacterial Filtration Efficiency), Ear loops straps are ultra sonic welded (no staples) nose bridge (Type II R)

PRIMARY AREA OF USE

Beauty/Aesthetics, Food Handling, Laboratory, Clean Room Handling, Hospitals, Medical, Dental Clinics, Home Renovations, Waste Management

TECHNICAL SPECIFICATIONS

MODEL	ESE3303-BFE99
TYPE	3 PLY PLEATED SURGICAL MASK
MATERIAL	PPSB + SSMMS
GSM	25 + 25 + 25 GSM
COLOUR	M. BLUE, WHITE
INNER PACKING	50 MASKS/BOX
OUTER PACKING	20 BOXES/CARTON

Length : (mm)	<u>+</u> 2 mm	175 mm
Width : (mm)	<u>+</u> 2 mm	95 mm
Ear Loop		Round Lycra
Nose Bridge :	Length	105 <u>+</u> 5 mm

STORAGE & HANDLING

Store in original packaging in a cool, dry and well-ventilated area, away from dust, direct sunlight, moisture and excessive heat above 100°F(37°C).

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	ESE2205-FFP2/N95
ТҮРЕ	N95 FOLDING MASK WITH EAR LOOPS
MATERIAL	PPSB + MELTBLOWN
GSM	50 + 20 + 20 + 25 GSM
COLOUR	WHITE
INNER PACKING	20 MASK/BOX
OUTER PACKING	12 BOX/CARTON







KEY FEATURES

99% Bacterial filtration, Hands free construction, Facial coverage with *DynamicFit* technology, Comfortable nose pad & ear loops, Filters toxic aerosols and prevents inward leakage

STORAGE & HANDLING

Store in original packaging in a cool, dry and well-ventilated area, away from dust, direct sunlight, moisture and excessive heat above -20°C to 55°C, Humidity. <80%

PRIMARY AREA OF USE

Food Processing, Hygiene, Industrial, Household, Agriculture, Dental, Bakery, Beauty/Aesthetics, Medical, Construction, Waste Management

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)









MODEL	BCO-14-21-DE-M. BLUE
TYPE	BEARD COVER
MATERIAL	PPSB
GSM	14 GSM
COLOUR	M. BLUE/WHITE
INNER PACKING	100 PCS/BAG
OUTER PACKING	10 BAG/CARTON
SIZE	16 ", 18 ", 20"

SIZE GUIDELINES

Specification	16 "	18"	20 "
Length	400 mm	460 mm	510 mm
Width	220 mm	220 mm	220 mm

KEY FEATURES

Manufactured from high-quality Polypropylene, the elasticated hand band, Disposable, and colour options available.

PRIMARY AREA OF USE

Food Processing, Hygiene, Industrial, Household, Dental, Bakery, Beauty/Aesthetics, Medical, Construction,

STORAGE & HANDLING

Store in original packaging in a cool, dry and well-ventilated area, away from dust, direct sunlight, moisture and excessive heat above 100°F (37°C).

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s).





3ALACLAVA HOOD COVER WITH CROWN







3ALACLAVA HOOD COVER WITH OUT CROWN





MODEL	BH-15-S-BE WHITE BH-15-L-BE WHITE
ТҮРЕ	BALACLAVA HOOD COVER WITH CROWN
MODFI	BH-14-S-BE WHITE
MODEL	BH-14-L-BE WHITE
TYPE	BALACLAVA HOOD COVER
	WITH OUT CROWN

MATERIAL	PPSB
GSM	15 GSM
COLOUR	M. BLUE / WHITE
INNER PACKING	100 PCS/BAG
OUTER PACKING	10 BAGS/CARTON
SIZE	SMALL & LARGE

KEY FEATURES

Made from PPSB, Provide full face coverage for maximum protection, soft Light, non-toxic and breathable disposable

PRIMARY AREA OF USE

Food Processing, Hygiene, Industrial, Household

STORAGE & HANDLING

Store in original packaging in a cool, dry and well-ventilated area, away from dust, direct sunlight, moisture and excessive heat above $100^{\circ}F(37^{\circ}C)$.

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end–users to make their own determination as to the suitability of the product for their own intended purpose(s).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	SC-15-21-SE-WHITE
TYPE	SLEEVE COVER
MATERIAL	PPSB
GSM	15 GSM
COLOUR	M. BLUE / WHITE
INNER PACKING	100 PCS/BAG
OUTER PACKING	10 BAGS/CARTON
SIZE	18", 21"

SIZE GUIDELINES

Specification	18"	21"
Length	460 <u>+</u> 5 mm	530 <u>+</u> 5 mm
Width	420 <u>+</u> 5 mm	450 <u>+</u> 5 mm

KEY FEATURES

Feels softer on the skin, Good barrier from particulate matter and liquid splash

STORAGE & HANDLING

Store in original packaging in a cool, dry and well-ventilated area, away from dust, direct sunlight, moisture and excessive heat above 100°F(37°C).

PRIMARY AREA OF USE

Food Processing, Agriculture, Dental, Food Service, Bakery, Fisheries/Seafood, Laboratry, Meat Packing, Beauty/Aesthetics, General Purpose

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purpose(s).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	1mil PE SLEEVES 3.5g/pcs 2mil PE SLEEVES 7.3g/pcs 4mil PE SLEEVES 19g/pcs
MATERIAL	POLYETHYLENE
GSM	3.5g/pcs, 7.3g/pcs, 19g/pcs
COLOUR	M. BLUE, WHITE, RED
INNER PACKING	100 PCS/BAG
OUTER PACKING	10 BAGS/CARTON
SIZE	18" x 8.6" ± 0.5"







KEY FEATURES

Feels softer on the skin, Good barrier from particulate matter and liquid splash

PRIMARY AREA OF USE

Medical for Healthcare

STORAGE & HANDLING

Store in original packaging in a cool, dry and well-ventilated area, away from dust, direct sunlight, moisture and excessive heat above 100°F(37°C).

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. the information is solely provided as a general guideline for the product use and cares it is up to end users to make their own determination as to the suitability of the product for their own intended purpose(s)

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	BS-43-W60xL90"
TYPE	FLAT BEDSHEET
MATERIAL	PP + PE BI LAMINATE
GSM	43 GSM
COLOUR	M. BLUE, WHITE, YELLOW, LIGHT BLUE & LIGHT GREY
INNER PACKING	1 PC / PLAIN POLYBAG
OUTER PACKING	50 PCS IN CARTON
SIZE	60 X 90 INCH

The Disposable Bedsheet made with 43 GSM PP+PE Bi laminate fabric. They are lightweight and comfortable.

PRIMARY AREA OF USE

Hospital, Spa, Clinic


STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES



Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)



PC-60-W18xL24.5" - PILLOW CASE



MODEL	PC-60-W18xL24.5"
TYPE	PILLOW CASE
MATERIAL	PP + PE BI LAMINATE
GSM	60 GSM
COLOUR	M. BLUE, WHITE, BLUE, TAN
INNER PACKING	50PCS / PLAIN POLYBAG
OUTER PACKING	300 PCS IN CARTON
SIZE	(i). 18 x 24.5 INCH (ii). 19 x 25.5 INCH (iii). 19.75 x 24.75 INCH (IV). 20 x 25 INCH (V). 20 X 26.5 INCH

KEY FEATURES

The Disposable Pillow Case made with 60 GSM PP+PE Bi laminate fabric. They are lightweight and comfortable.

PRIMARY AREA OF USE

Hospital, Spa, Clinic


STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

SIZE GUIDELINES



Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	SHC-25GNW
TYPE	SHOE COVER
MATERIAL	PPSB
GSM	25 GSM
COLOUR	WHITE/BLUE
PACKAGING	100 PCS IN POLYBAG, 10 POLYBAG IN MASTER BAG, 5 MASTER BAG IN CARTON

SIZE	LARGE	X-LARGE
LENGTH (CM)	43	46
WIDTH (CM)	18	18

KEY FEATURES

Keep you protected from Dry particulates, premium elastic for comfort, and easy to wear

PRIMARY AREA OF USE

Electronic, Food Processing, Hospital, HORECA, Laboratories, Inspection, Maintenance.

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. the information is solely provided as a general guideline for the product use and cares it is up to end users to make their own determination as to the suitability of the product for their own intended purpose(s)

STORAGE & HANDLING

Store in the original package in a cool, dry, and well-ventilated area, away from dust, direct sunlight, moisture, and excessive heat above 100°F (37°C).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	SHC-53GNW
TYPE	SHOE COVER
MATERIAL	SMS
GSM	53 GSM
COLOUR	WHITE/BLUE
PACKAGING	100 PCS IN POLYBAG, 10 POLYBAG IN MASTER BAG, 5 MASTER BAG IN CARTON

SIZE	LARGE	X-LARGE
LENGTH (CM)	43	46
WIDTH (CM)	18	18

KEY FEATURES

Keep you protected from Dry particulates, premium elastic for comfort, and easy to wear

PRIMARY AREA OF USE

Electronic, Food Processing, Hospital, HORECA, Laboratories, Inspection, Maintenance.

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. the information is solely provided as a general guideline for the product use and cares it is up to end users to make their own determination as to the suitability of the product for their own intended purpose(s)

STORAGE & HANDLING

Store in the original package in a cool, dry, and well-ventilated area, away from dust, direct sunlight, moisture, and excessive heat above 100°F (37°C).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	SHC-53GNW
TYPE	SHOE COVER
MATERIAL	PP+PE LAMINATE
GSM	53 GSM
COLOUR	WHITE/BLUE
PACKAGING	100 PCS IN POLYBAG, 10 POLYBAG IN MASTER BAG, 5 MASTER BAG IN CARTON

SIZE	LARGE	X-LARGE
LENGTH (CM)	43	46
WIDTH (CM)	18	18

KEY FEATURES

Keep you protected from Dry particulates, premium elastic for comfort, and easy to wear

PRIMARY AREA OF USE

Electronic, Food Processing, Hospital, HORECA, Laboratories, Inspection, Maintenance.

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. the information is solely provided as a general guideline for the product use and cares it is up to end users to make their own determination as to the suitability of the product for their own intended purpose(s)

STORAGE & HANDLING

Store in the original package in a cool, dry, and well-ventilated area, away from dust, direct sunlight, moisture, and excessive heat above 100°F (37°C).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	LDPE APRON
MATERIAL	LDPE
GSM	45g/pc,
COLOUR	WHITE / M.BLUE
INNER PACKING	100PCS / PLAIN POLYBAG
OUTER PACKING	10 POLYBAG IN CARTON
SIZE	28" x 46"





KEY FEATURES

The Apron is made with LDPE, two ties at back opening. They are lightweight and comfortable.

STORAGE & HANDLING

Store in original package at room temprature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

PRIMARY AREA OF USE

Laboratories , Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

SPECIAL NOTES

While the LDPE provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)





MODEL	PE APRON
MATERIAL	POLYETHYLENE
GSM	17g/pc,
COLOUR	WHITE / M.BLUE
INNER PACKING	100PCS / PLAIN POLYBAG
OUTER PACKING	10 POLYBAG IN CARTON
SIZE	28" x 46"





KEY FEATURES

The PE Apron is made with Polyethylene, two tie at back opening. They are lightweight and comfortable.

STORAGE & HANDLING

Store in original package at room temperature under roof away from direct sunlight and moisture. While these garments are fully disposable, they may be used more than once depending on the application.

PRIMARY AREA OF USE

Laboratories , Research and Clinical Facilities, Pharmaceutical Facilities, Food Processing Facilities, Meat Packaging Facilities, Industrial and Manufacturing Facilities

SPECIAL NOTES

While the Polyethylene provides splash resistance, please note it is not impermeable. Although reasonable care has been taken in the preparation of this document, no warranty is extended and no liability is assumed. It is up to the end-users to make their own determination as to the suitability of the product for their intended use.

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)



PPANTI SKID SHOE COVER



TECHNICAL SPECIFICATIONS

MODEL	UNW-147-1024
MATERIAL	PP
GSM	35
COLOUR	BLUE
PACKAGING	100 PAIRS IN POLYBAG, 5 POLYBAG IN CARTON

SIZE	L
LENGTH (CM)	39.5
WIDTH (CM)	16

KEY FEATURES

Keep you protected from Dry particulates, premium elastic for comfort, and easy to wear

PRIMARY AREA OF USE

Hospital, Food Processing, HORECA, Laboratories, Inspection, Maintenance.

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. the information is solely provided as a general guideline for the product use and cares it is up to end users to make their own determination as to the suitability of the product for their own intended purpose(s)

STORAGE & HANDLING

Store in the original package in a cool, dry, and well-ventilated area, away from dust, direct sunlight, moisture, and excessive heat above $100^{\circ}F$ ($37^{\circ}C$).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)

PE SHOE COVER

UNW-147-1010



TECHNICAL SPECIFICATIONS

MODEL	UNW-147-1010
MATERIAL	CPE
GSM	20
COLOUR	BLUE
PACKAGING	100 PAIRS IN POLYBAG, 5 POLYBAG IN CARTON

SIZE	L
LENGTH (CM)	39
WIDTH (CM)	17

KEY FEATURES

Keep you protected from Dry particulates, premium elastic for comfort, and easy to wear

PRIMARY AREA OF USE

Hospital, Food Processing, HORECA, Laboratories, Inspection, Maintenance.

SPECIAL NOTES

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. the information is solely provided as a general guideline for the product use and cares it is up to end users to make their own determination as to the suitability of the product for their own intended purpose(s)

STORAGE & HANDLING

Store in the original package in a cool, dry, and well-ventilated area, away from dust, direct sunlight, moisture, and excessive heat above 100°F (37°C).

Plot No. F1-832, F-833, F-834, Riico Industrial Area, Pathredi, Alwar, Rajasthan-301707, (India)



























EURO SAFETY EQUIPMENTS PVT. LTD.

HEAD OFFICE: B-49/4, 49/5, 54/2, 54/3, EPIP, SHASTRIPURAM, AGRA, U.P.-282007 (INDIA)

WORKS: F1-832, F-834, RIICO INDUSTRIAL AREA, PATHREDI, BHIWADI, ALWAR, RAJASTHAN - 301707 (INDIA)





+91 7060036893 / +91 9950696404 | merchandiser@eurosafetyequipments.com | www.eurosafetyequipments.com

